



Grade	Nominal Diameter (Inch)	Nominal Diameter (mm)	Diameter Tolerance (mm)	Nominal Area (mm ²)	Nominal Weight (kg/1000m)	Min. Breaking strength (kN)	Min. Yield Strength (kN)	Min. Elongation (L≥500mm)	Initial Load of min. nominal Breaking Strength	1,000hrs. Value no more than
250	0.375	9.53	+/- 0.4	51.61	405	89.0	80.1	3.5%		
250	0.438	11.11	+/- 0.4	69.68	548	120.1	108.1	3.5%		
250	0.500	12.70	+/- 0.4	92.90	730	160.1	144.1	3.5%	60%	1.0%
250	0.600	15.20	+/- 0.4	139.35	1094	240.2	216.2	3.5%		
270	0.375	9.53	+0.65	54.84	432	102.3	92.1	3.5%	70%	2.5%
270	0.438	11.11	-0.15	74.19	582	137.9	124.1	3.5%		
270	0.500	12.70	+0.65	98.71	775	183.7	165.3	3.5%	80%	4.5%
270	0.600	15.24	-0.15	140.00	1102	260.7	234.6	3.5%		

Contact us:
DuSense LLC
Tel.: +971.4.8135972
Email: info@dusense.ae